

Box 1002193 Component SDS

REF 1002193 Onyx® Genome Engineering Kit Cell Input Tube – E. coli INSC1003

Consumable ID Number

Consumable Ref Number and Relevant Well

1002189 INSC1003 E. coli

*Note: Consumable wells are numbered such that Well 1 is the well closest to the Chamfer

Safety Data Sheet

Product Form

Product Name

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of Issue: 11/03/2022 The Digital Genome Engineering Company

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

- : Mixture
- : INSC1003 E. coli
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.2.1. Relevant identified uses
- : No use is specified.
- Use of the substance/mixture **1.2.2.** Uses advised against
- No additional information available

1.3. Details of the supplier of the safety data sheet

- Company Inscripta, Inc. 5764 Pacific Center Blvd San Diego, CA 92121 619–708–8130 www.inscripta.com info@inscripta.com
- 1.4. Emergency telephone number
- Emergency number : 1-352-323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP] Not classified

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
1,2,3-Propanetriol	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	10 - 20	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	0,1 – 1	Not classified
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	< 0,1	Flam. Liq. 2, H225
Chloramphenicol	(CAS-No.) 56-75-7 (EC-No.) 200-287-4	<0,01	Eye Dam. 1, H318 Carc. 1B, H350 Repr. 2, H361

Full text of H-statements: see section 16

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 4: First aid measures	ACH) with its amendment Regulation (EU) 2015/830
4.1. Description of first aid measu	res
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
	d effects, both acute and delayed
Symptoms/effects	 Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Prolonged exposure may cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact Symptoms/effects after ingestion	: May cause slight irritation to eyes. : Ingestion may cause adverse effects.
Chronic symptoms	: None expected under normal conditions of use.
•	nedical attention and special treatment needed
If exposed or concerned, get medical advi SECTION 5: Firefighting measu	ce and attention. If medical advice is needed, have product container or label at hand.
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising from Fire hazard	the substance or mixture : Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Hazardous reactions will not occur under normal conditions.
Hazardous decomposition products in	: Carbon oxides (CO, CO ₂).
case of fire 5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	measures
6.1. Personal precautions, protect General measures	ive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapour,
6.1.1. For non-emergency personnel	mist, spray).
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.

Safety Data Sheet According to Regulation

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Accordin	ng to Regulation (EC) No. 1907/2006 (F	REACH) with its amendment Regulation (EU) 2015/830
6.1.2.	For emergency responders	
Prote	ective equipment	: Equip cleanup crew with proper protection.
Emer	gency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2.	Environmental precautions	
Prever	nt entry to sewers and public wate	ers.
6.3.	Methods and material for c	ontainment and cleaning up
For c	ontainment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Meth	ods for cleaning up	: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.
6.4.	Reference to other sections	
See Se	ection 8 for exposure controls and	l personal protection and Section 13 for disposal considerations.
SEC	FION 7: Handling and sto	rage
7.1.	Precautions for safe handli	
Preco	autions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapours, mist, spray.
Hygi	ene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2.	Conditions for safe storage	, including any incompatibilities
Tech	nical measures	: Comply with applicable regulations.
Storc	age conditions	: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incor	npatible materials	: Strong acids, strong bases, strong oxidizers.
7.3.	Specific end use(s)	
No use	e is specified.	
SECT	FION 8: Exposure control	s/personal protection
8.1.	Control parameters	
1 2 2	Propagatrial (56, 81, 5)	

1,2,3-Propanetriol (56-81-	5)		
Belgium	Limit value [mg/m³]	10 mg/m³ (mist)	
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m ³	
France	VME [mg/m³]	10 mg/m³ (aerosol)	
Germany	Occupational exposure limit value (mg/m ³) Occupational exposure limit value (mg/m ³) yalues are observed-inhalable fraction)		
Greece	OEL TWA (mg/m ³)	10 mg/m ³	
Spain	VLA-ED (mg/m³)	10 mg/m³ (mist)	
Switzerland	KZGW (mg/m³)	100 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	50 mg/m³ (inhalable dust)	
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (mist)	
United Kingdom	WEL STEL (mg/m ³)	30 mg/m ³ (calculated-mist)	
Czech Republic	Expoziční limity (PEL) (mg/m³)	10 mg/m ³	
Estonia	OEL TWA (mg/m³)	10 mg/m ³	
Finland	HTP-arvo (8h) (mg/m³)	20 mg/m ³	
Poland	NDS (mg/m³)	10 mg/m ³ (inhalable fraction)	
Slovakia	NPHV (priemerná) (mg/m³)	11 mg/m ³	
Slovenia	OEL TWA (mg/m³)	200 mg/m ³ (inhalable fraction)	
Slovenia	OEL STEL (mg/m ³)	400 mg/m ³ (inhalable fraction)	
Portugal	OEL TWA (mg/m³)	10 mg/m ³ (mist)	
Sodium chloride (7647-14-	-5)		
Latvia	OEL TWA (mg/m ³)	5 mg/m ³	
Lithuania	IPRV (mg/m³)	5 mg/m ³	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



AustriaMAK Doily average value (mg/m)1900 mg/m²AustriaMAK Doily average value (mg/m²)3800 mg/m²AustriaMAK Short time value [mg/m²]3800 mg/m²AustriaMAK Short time value [mg/m²]1000 ppmBelgiumLimit value [mg/m²]1000 ppmBelgiumLimit value [ppm]1000 mg/m²CroatiaGVI (granicha vrijednost izloženosti) (mg/m²)1900 mg/m²CroatiaGVI (granicha vrijednost izloženosti) (mg/m²)1900 mg/m²CroatiaGVI (granicha vrijednost izloženosti) (mg/m²)9500 ppmFranceVLE [mg/m²]9500 ppmFranceVLE [mg/m²]1000 pg/m²FranceVME [ppm]1000 pg/m²FranceVME [mg/m²]1000 pg/m²FranceVME [ppm]1000 ppmGermanyOccupational exposure limit value (ppm)200 pm (the risk of damage to the embryo or fetus con be excluded when AGW and BGW values are observed)GereaceOEL TWA (mg/m²)1900 mg/m²GereaceOEL TWA (mg/m²)1900 mg/m²SpainVLA-EC (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 pg/m²SwitzerlandKZGW	Ethyl alcohol (64-17-5)			
Austria MAK Short time value [mg/m ²] 3800 mg/m ² Austria MAK Short time value [mg/m ²] 2000 ppm Belgium Limit value [mg/m ²] 1000 mg/m ² Belgium Limit value [mg/m ²] 1000 mg/m ² Croatia OEL TVA (mg/m ²) 1000 mg/m ² Croatia GVI (granična vrijednost izloženosti) (gpm) 1000 mg/m ² France VLE [mg/m ²] 9500 mg/m ² France VLE [mg/m ²] 1900 mg/m ² France VLE [mg/m ²] 1900 mg/m ² France VME [mg/m ²] 1900 mg/m ² Germany Occupational exposure limit value (mg/m ²) 380 mg/m ² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m ²) 1900 mg/m ² Greece OEL TWA (mg/m ²) 1900 mg/m ² Spain VLA-EC (ppm) 1000 ppm Latvia OEL TWA (mg/m ²) 1900 mg/m ² Switzerland KZGW (mg/m ²) 1900 mg/m ² Switzerland KZGW (mg/m ²) 1900 mg/m ² Switzerland	Austria	MAK Daily average value (mg/m³)	1900 mg/m³	
Austria MAK Short time value [ppm] 2000 ppm Belgium Limit value [pm/n] 1807 mg/m² Belgium Limit value [pm/n] 1000 ppm Bulgoria OEL TWA (mg/m²) 1000 ppm Croatia GVI (granifica vrijednost izloženosti) (mg/m²) 1900 mg/m² Croatia GVI (granifica vrijednost izloženosti) (ppm) 1000 ppm France VLE [mg/m²] 9500 mg/m² France VLE [mg/m²] 1900 mg/m² France VLE [mg/m²] 1900 mg/m² France VMK [ppm] 1000 ppm Germany Occupational exposure limit value (mg/m²) Koto ppm Greece OEL TWA (mg/m²) 1800 mg/m² Greece OEL TWA (mg/m²) 1800 mg/m² Greece OEL TWA (mg/m²) 1800 mg/m² Spain VLA-EC (mg/m²) 1800 mg/m² Spain VLA-EC (mg/m²) 1900 mg/m² Switzerland KZGW (mg/m²) 1900 mg/m² Switzerland MAK (mg/m²) 1900 mg/m² Switzerland MAK (mg/m²) 1900 mg/m² <td>Austria</td> <td>MAK Daily average value (ppm)</td> <td>1000 ppm</td>	Austria	MAK Daily average value (ppm)	1000 ppm	
Belgium Limit value [mg/m ¹] 1907 mg/m ³ Belguina Limit value [ppm] 1000 ppm Belgaria OEL TWA (mg/m ³) 1000 mg/m ³ Croatia GVI (granifan vrijednost izloženosti) (mg/m ³) 1900 mg/m ³ Croatia GVI (granifan vrijednost izloženosti) (mg/m ³) 1900 mg/m ³ France VLE [mg/m ³] 9500 mg/m ³ France VLE [ppm] 5000 ppm France VME [ppm] 1000 mg/m ³ France VME [ppm] 1000 ppm Germany Occupational exposure limit value (mg/m ³) 380 mg/m ³ (the risk of damage to the embryo or fatus can be excluded when AGW and BGW values are observed) Gereace OEL TWA (mg/m ³) 1900 mg/m ³ Greece OEL TWA (mg/m ³) 1900 mg/m ³ Greece OEL TWA (mg/m ³) 1900 ppm USA ACGIH ACGIH STEL (ppm) 1000 ppm USA ACGIH ACGIH STEL (ppm) 1000 ppm Spoin VLA-EC (mg/m ³) 1900 mg/m ³ Switzerland KZGW (mg/m ³) 1900 ppm Switzerland KZGW (mg/m ³) 1900 ppm Switzerland MAK (mg/m ³) 1900 ppm Switzerland MAK (mg/m ³) 1900 ppm Nutied Kingdom WEL TWA (ppm) <td< td=""><td>Austria</td><td>MAK Short time value [mg/m³]</td><td>3800 mg/m³</td></td<>	Austria	MAK Short time value [mg/m³]	3800 mg/m³	
Belgium Limit volue [ppm] 1000 ppm Bulgaria OEL TWA (mg/m ³) 1000 mg/m ³ Croatia GW (granicha vrijednost izloženosti) 1900 mg/m ³ Croatia GW (granicha vrijednost izloženosti) 1000 ppm France VLE [mg/m ³] 9500 mg/m ³ France VLE [mg/m ³] 1900 mg/m ³ France VME [mg/m ³] 1900 mg/m ³ Germany Occupational exposure limit value (mg/m ³) 200 ppm (the risk of damage to the embryo or fetus can be ackluded when AGW and BGW values are observed) Greace OEL TWA (mg/m ³) 1900 mg/m ³ Greace OEL TWA (mg/m ³) 1900 mg/m ³ Spain VLA-EC (mg/m ³) 1900 mg/m ³ Spain VLA-EC (mg/m ³) 1900 mg/m ³ Switzerland KZOW (mg/m ³) 1900 mg/m ³ Switzerland KZOW (mg/m ³) 1900 mg/m ³ Switzerland MAK (mg/m ³) <	Austria	MAK Short time value [ppm]	2000 ppm	
Bulgaria OEL TWA (mg/m ³) 1000 mg/m ³ Croatia GVI (granična vrijednost izloženosti) (mg/m ³) 1900 mg/m ³ Croatia GVI (granična vrijednost izloženosti) (ppm) 1000 ppm France VLE [mg/m ³] 9500 mg/m ³ France VME [mg/m ³] 1900 mg/m ³ France VME [mg/m ³] 1900 mg/m ³ Germany Occupational exposure limit value (mg/m ³) 380 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Gereace OEL TWA (mg/m ³) 1900 mg/m ³ Greece OEL TWA (mg/m ³) 1900 mg/m ³ Greece OEL TWA (mg/m ³) 1900 mg/m ³ Greece OEL TWA (mg/m ³) 1900 mg/m ³ Spain VLA-EC (mg/m ³) 1900 mg/m ³ Spain VLA-EC (mg/m ³) 1900 mg/m ³ Switzerland KZGW (mg/m ³) 1900 mg/m ³ Switzerland KZGW (mg/m ³) 1900 mg/m ³ Switzerland MAK (mg/m ³) 1900 mg/m ³ Switzerland MAK (mg/m ³) 1900 mg/m ³ Switzerland	Belgium	Limit value [mg/m³]	1907 mg/m³	
Croatia GVI (granična vrijednost izloženosti) (mg/m ³) 1900 mg/m ³ Croatia GVI (granična vrijednost izloženosti) (ppm) 1000 ppm France VLE [mg/m ³] 9500 mg/m ³ France VLE [mg/m ³] 1900 mg/m ³ France VME [mg/m ³] 1900 mg/m ³ France VME [mg/m ³] 1900 mg/m ³ France VME [mg/m ³] 1900 mg/m ³ Cermony Occupational exposure limit value (mg/m ³) 380 mg/m ³ (the risk of damage to the embryo or fetus can be accluded when AGW and BGW values are observed) Germany Occupational exposure limit value (ppm) 1900 mg/m ³ Greace OEL TWA (mg/m ³) 1900 mg/m ³ Greace OEL TWA (mg/m ³) 1900 ppm Latvia OEL TWA (mg/m ³) 1900 pg/m ³ Spain VLA-EC (mg/m ³) 1900 pg/m ³ Systizerland KZGW (mg/m ³) 1900 pg/m ³ Switzerland MAK (mg/m ³) 1900 pg/m ³ Switzerland MAK (mg/m ³) 1900 mg/m ³ Switzerland MAK (mg/m ³) 1900 mg/m ³ Swi	Belgium	Limit value [ppm]	1000 ppm	
(mg/m)1900 mg/m²CroatiaGVI (grančna vrijednost izloženosti) (gpm)1000 ppmFranceVLE [mg/m²]95000 mg/m²FranceVLE [pm]5000 ppmFranceVME [pm]1000 ppmGermanyOccupational exposure limit value (mg/m²)330 mg/m² (the risk of damage to the embryo or fefus can be excluded when AGW and BGW values are observed)GermanyOccupational exposure limit value (ppm)200 ppm (the risk of damage to the embryo or fefus can be excluded when AGW and BGW values are observed)GereceOEL TWA (mg/m²)1900 mg/m²GreeceOEL TWA (ppm)1000 ppmUSA ACGIHACGIH STEL (ppm)1000 ppmLatviaOEL TWA (mg/m²)1900 mg/m²SpainVLA-EC (mg/m²)1900 mg/m²SwitzerlandKZGW (mg/m²)1900 mg/m²SwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (ppm)1000 ppmSwitzerlandWEL TWA (mg/m²)1900 mg/m²SwitzerlandMAK (ppm)1000 ppmSwitzerlandMAK (ppm)1000 ppmSwitzerlandMAK (ppm)1000 ppmSwitzerlandMAK (mg/m²)1900 mg/m²SwitzerlandMAK (ppm)1000 mg/m²SwitzerlandMAK (mg/m²)1900 mg/m² <td>Bulgaria</td> <td>OEL TWA (mg/m³)</td> <td>1000 mg/m³</td>	Bulgaria	OEL TWA (mg/m³)	1000 mg/m ³	
(ppm)1000 ppmFranceVLE [mg/m ¹]9500 mg/m ¹ FranceVME [mg/m ¹]1900 mg/m ² FranceVME [ppm]1000 ppmGermonyOccupational exposure limit value (mg/m ²)380 mg/m ² (the risk of damage to the embryo or fefus can be excluded when AGW and BGW values are observed)GermonyOccupational exposure limit value (ppm)200 ppm (the risk of damage to the embryo or fefus can be excluded when AGW and BGW values are observed)GereaceOEL TWA (mg/m ²)1900 mg/m ² GreeceOEL TWA (mg/m ²)1900 mg/m ² GreeceOEL TWA (mg/m ²)1000 ppmLatviaOEL TWA (mg/m ²)1900 mg/m ² SpainVLA-EC (mg/m ³)1900 mg/m ² SpainVLA-EC (mg/m ³)1900 mg/m ² SwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (mg/m ³)1920 mg/m ³ SwitzerlandKZGW (ppm)1000 ppmUnited KingdomWEL TWA (mg/m ³)1900 mg/m ³ United KingdomWEL TWA (mg/m ³)1900 mg/m ³ EstoniaOEL TWA (mg/m ³)1900 mg/m ³ EstoniaOEL TWA (mg/m ³	Croatia		1900 mg/m ³	
FranceVLE [ppm]5000 ppmFranceVME [mg/m²]1900 mg/m²FranceVME [ppm]1000 ppmGermanyOccupational exposure limit value (mg/m²)380 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)GermanyOccupational exposure limit value (ppm)200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)GreeceOEL TWA (mg/m²)1900 mg/m²GreeceOEL TWA (ppm)1000 ppmUSA ACGIHACGIH STEL (ppm)1000 ppmLatviaOEL TWA (pg/m²)1900 mg/m²SpainVLA-EC (mg/m²)1900 mg/m²SpainVLA-EC (mg/m²)1900 ppmSwitzerlandKZGW (mg/m²)1920 mg/m²SwitzerlandKZGW (mg/m²)1920 mg/m²SwitzerlandMAK (ppm)500 ppmSwitzerlandGrenswaarde TGG SHNIN (mg/m²)1920 mg/m²United KingdomWEL TWA (mg/m²)1920 mg/m²United KingdomWEL STEL (OEL STEL) (ppm)1000 ppmUnited KingdomWEL STEL (QEL STEL) (ppm]3000 ppm (calculated)United KingdomWEL STEL (QEL STEL) (ppm]1000 ppmUnited KingdomWEL STEL (QEL STEL) (ppm)1000 ppmUnited KingdomWEL STEL (QEL STEL) (ppm)1000 ppmEstonia	Croatia		1000 ppm	
FranceVME [mg/m²]1900 mg/m³FranceVME [ppn]1000 ppmGermanyOccupational exposure limit value (mg/m³)380 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)GermanyOccupational exposure limit value (ppm)200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)GreeceOEL TWA (mg/m²)1900 mg/m²GreeceOEL TWA (ppm)1000 ppmLatviaOEL TWA (mg/m²)1000 ppmSpainVLA-EC (mg/m²)1900 mg/m²SpainVLA-EC (mg/m²)1900 mg/m²SwitzerlandKZGW (mg/m²)1920 mg/m²SwitzerlandKZGW (ppm)1000 ppmSwitzerlandGerswaarde TGG 8H (mg/m²)960 mg/m²SwitzerlandGrenswaarde TGG 8H (mg/m²)1900 mg/m²NetherlandsGrenswaarde TGG 15MIN (mg/m²)1900 mg/m²United KingdomWEL TWA (mg/m²)1000 ppmUnited KingdomWEL TWA (mg/m²)1000 ppmUnited KingdomWEL TWA (mg/m²)1900 mg/m²United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (aclualated)United KingdomWEL STEL (DEL STEL) [pm]3000 ppmUnited KingdomWEL STEL (Mg/m²)1000 mg/m²DenmarkGrænseværdi (8 timer) (mg/m²)1900 mg/m²DenmarkGrænseværdi (8 timer) (mg/m²)1900 mg/m²EstoniaOEL STEL (mg/m²)1900 mg/m²DenmarkGrænseværdi (8 timer) (mg/m²)1900 mg/m²Estonia </td <td>France</td> <td>VLE [mg/m³]</td> <td>9500 mg/m³</td>	France	VLE [mg/m³]	9500 mg/m³	
France VME [ppm] 1000 ppm Germany Occupational exposure limit value (mg/m ³) 380 mg/m ³ (the risk of damage to the embry or fetus can be excluded when AGW and BGW values are observed) Germany Occupational exposure limit value (pm) 200 ppm (the risk of damage to the embry or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m ³) 1900 mg/m ³ Greece OEL TWA (mg/m ³) 1000 ppm Latvia OEL TWA (mg/m ³) 1000 ppm Spain VLA-EC (mg/m ³) 1910 mg/m ³ Spain VLA-EC (mg/m ³) 1900 mg/m ³ Switzerland KZGW (ppm) 1000 ppm Switzerland KZGW (ppm) 1000 ppm Switzerland MAK (mg/m ³) 960 mg/m ³ Switzerland MAK (ppm) 500 ppm Netherlands Grenswaarde TGG 5HIN (mg/m ³) 1920 mg/m ³ United Kingdom WEL TWA (mg/m ³) 1920 mg/m ³ United Kingdom WEL STEL (opm/m ³) 1900 mg/m ³ United Kingdom WEL STEL (Mg/m ³) 1900 mg/m ³ Denmark Grænseverdi (8 timer) (mg/m ³) </td <td>France</td> <td>VLE [ppm]</td> <td>5000 ppm</td>	France	VLE [ppm]	5000 ppm	
GermanyOccupational exposure limit value (mg/m²)380 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)GermanyOccupational exposure limit value (ppm)200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)GreeceOEL TWA (mg/m²)1900 mg/m²GreeceOEL TWA (ppm)1000 ppmLatviaOEL TWA (mg/m²)1000 ppmLatviaOEL TWA (mg/m²)1000 mg/m²SpainVLA-EC (mg/m²)1910 mg/m²SpainVLA-EC (mg/m²)1920 mg/m²SwitzerlandKZGW (mg/m²)1920 mg/m²SwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (mg/m²)960 mg/m²SwitzerlandMAK (mg/m²)1920 mg/m²NetherlandsGrenswaarde TGG 48H (mg/m²)1900 mg/m²United KingdomWEL TWA (mg/m²)1900 mg/m²United KingdomWEL STEL (mg/m²)1000 ppmUnited KingdomWEL STEL (mg/m²)1000 ppmUnited KingdomWEL STEL (mg/m²)1000 mg/m²United KingdomWEL STEL (mg/m²)1000 ppmEstoniaOEL TWA (mg/m²)1900 mg/m²DenmarkGraensevardi (8 timer) (mg/m²)1900 mg/m²EstoniaOEL TWA (mg/m²)1900 mg/m²EstoniaOEL T	France	VME [mg/m³]	1900 mg/m³	
(mg/m²)fetus can be excluded when AGW and BGW values are observed)GermanyOccupational exposure limit value (ppm)200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW 	France	VME [ppm]	1000 ppm	
(ppm)fetus can be excluded when AGW and BGW values are observed)GreeceOEL TWA (mg/m ³)1900 mg/m ³ GreeceOEL TWA (ppm)1000 ppmUSA ACGIHACGIH STEL (ppm)1000 ppmLatviaOEL TWA (mg/m ³)1900 mg/m ³ SpainVLA-EC (mg/m ³)1910 mg/m ³ SpainVLA-EC (ppm)1000 ppmSwitzerlandKZGW (mg/m ³)1920 mg/m ³ SwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)1000 ppmSwitzerlandKX (mg/m ³)960 mg/m ³ SwitzerlandMAK (mg/m ³)260 mg/m ³ NetherlandsGrenswaarde TGG 8H (mg/m ³)260 mg/m ³ NetherlandsGrenswaarde TGG 15MIN (mg/m ³)1900 mg/m ³ United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL TWA (ppm)1000 mg/m ³ United KingdomWEL STEL (opt STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]1000 mg/m ³ DenmarkGrænseværdi (8 timer) (mg/m ³)1000 mg/m ³ DenmarkGrænseværdi (8 timer) (mg/m ³)1000 mg/m ³ EstoniaOEL TWA (mg/m ³)1000 ppmEstoniaOEL STEL (ppm)1000 ppm <trr>FinlandHTP-</trr>	Germany		fetus can be excluded when AGW and BGW	
Greece OEL TWA (ppm) 1000 ppm USA ACGIH ACGIH STEL (ppm) 1000 ppm Latvia OEL TWA (mg/m ³) 1000 mg/m ³ Spain VLA-EC (mg/m ³) 1910 mg/m ³ Spain VLA-EC (ppm) 1000 ppm Switzerland KZGW (mg/m ³) 1920 mg/m ³ Switzerland KZGW (ppm) 1000 ppm Switzerland KZGW (ppm) 1000 ppm Switzerland MAK (mg/m ³) 960 mg/m ³ Switzerland MAK (ppm) 500 ppm Netherlands Grenswaarde TGG 8H (mg/m ³) 1900 mg/m ³ United Kingdom WEL TWA (mg/m ³) 1920 mg/m ³ United Kingdom WEL STEL (mg/m ³) 1900 mg/m ³ United Kingdom WEL STEL (cpm] 3000 ppm (calculated) United Kingdom WEL STEL (0g/m ³) 1000 mg/m ³ Denmark Grænseværdi (8 timer) (mg/m ³) 1900 mg/m ³ Denmark Grænseværdi (8 timer) (ppm) 1000 ppm Estonia OEL TWA (mg/m ³) 1900 mg/m ³ Estonia OEL TWA (mg/m	Germany		fetus can be excluded when AGW and BGW	
USA ACGIH ACGIH STEL (ppm) 1000 ppm Latvia OEL TWA (mg/m ³) 1000 mg/m ³ Spain VLA-EC (mg/m ³) 1910 mg/m ³ Spain VLA-EC (ppm) 1000 ppm Switzerland KZGW (mg/m ³) 1920 mg/m ³ Switzerland KZGW (mg/m ³) 1920 mg/m ³ Switzerland MAK (mg/m ³) 960 mg/m ³ Switzerland MAK (ppm) 500 ppm Netherlands Grenswaarde TGG 8H (mg/m ³) 1900 mg/m ³ Netherlands Grenswaarde TGG 15MIN (mg/m ³) 1920 mg/m ³ United Kingdom WEL TWA (mg/m ³) 1920 mg/m ³ United Kingdom WEL TWA (ppm) 1000 ppm United Kingdom WEL STEL (mg/m ³) 5760 mg/m ³ (calculated) United Kingdom WEL STEL (ppm] 3000 ppm (calculated) United Kingdom WEL STEL (pm ³) 1000 mg/m ³ Denmark Grænseværdi (8 timer) (ppm) 1000 mg/m ³ Denmark Grænseværdi (8 timer) (ppm) 1000 ppm Estonia OEL STEL (mg/m ³) 1900 mg/m ³	Greece	OEL TWA (mg/m ³)	1900 mg/m ³	
LatviaOEL TWA (mg/m³)1000 mg/m³SpainVLA-EC (mg/m³)1910 mg/m³SpainVLA-EC (ppm)1000 ppmSwitzerlandKZGW (mg/m³)1920 mg/m³SwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (mg/m³)960 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1000 ppmEstoniaOEL TWA (mg/m³)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Greece	OEL TWA (ppm)	1000 ppm	
SpainVLA-EC (mg/m³)1910 mg/m³SpainVLA-EC (ppm)1000 ppmSwitzerlandKZGW (mg/m³)1920 mg/m³SwitzerlandKZGW (ppm)1000 ppmSwitzerlandKZGW (ppm)500 ppmSwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (mg/m³)960 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (og/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (DEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	USA ACGIH	ACGIH STEL (ppm)	1000 ppm	
SpainVLA-EC (ppm)1000 ppmSwitzerlandKZGW (mg/m³)1920 mg/m³SwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (ppm)500 ppmNetherlandsGrenswaarde TGG 8H (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (QEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (GEL STEL) [ppm]1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Latvia	OEL TWA (mg/m ³)	1000 mg/m ³	
SwitzerlandKZGW (mg/m³)1920 mg/m³SwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (ppm)500 ppmNetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (DEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (DEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³EstoniaOEL TWA (mg/m³)1000 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Spain	VLA-EC (mg/m ³)		
SwitzerlandKZGW (mg/m³)1920 mg/m³SwitzerlandKZGW (ppm)1000 ppmSwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (ppm)500 ppmNetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (DEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (DEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³EstoniaOEL TWA (mg/m³)1000 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Spain	VLA-EC (ppm)		
SwitzerlandMAK (mg/m³)960 mg/m³SwitzerlandMAK (ppm)500 ppmNetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (DEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL TWA (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmEstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Switzerland	KZGW (mg/m ³)		
SwitzerlandMAK (ppm)500 ppmNetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (mg/m³)1900 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Switzerland	KZGW (ppm)	_	
NetherlandsGrenswaarde TGG 8H (mg/m³)260 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Switzerland	MAK (mg/m³)	960 mg/m ³	
NetherlandsGrenswaarde TGG 15MIN (mg/m³)1900 mg/m³United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)United KingdomWEL STEL (OEL STEL) [mg/m³)1000 mg/m³Czech RepublicExpoziční limity (PEL) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Switzerland	MAK (ppm)	500 ppm	
United KingdomWEL TWA (mg/m³)1920 mg/m³United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL STEL (pg/m)500 ppmEstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (1500 ppm1300 ppmHungaryAK-érték1900 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m³)	260 mg/m ³	
United KingdomWEL TWA (ppm)1000 ppmUnited KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min)1300 ppmHungaryAK-érték1900 mg/m³	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	1900 mg/m ³	
United KingdomWEL STEL (mg/m³)5760 mg/m³ (calculated)United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	United Kingdom	WEL TWA (mg/m³)	1920 mg/m ³	
United KingdomWEL STEL (OEL STEL) [ppm]3000 ppm (calculated)Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	United Kingdom	WEL TWA (ppm)	1000 ppm	
Czech RepublicExpoziční limity (PEL) (mg/m³)1000 mg/m³DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	United Kingdom	WEL STEL (mg/m ³)	5760 mg/m³ (calculated)	
DenmarkGrænseværdi (8 timer) (mg/m³)1900 mg/m³DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	United Kingdom	WEL STEL (OEL STEL) [ppm]	3000 ppm (calculated)	
DenmarkGrænseværdi (8 timer) (ppm)1000 ppmEstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Czech Republic	Expoziční limity (PEL) (mg/m³)	1000 mg/m ³	
EstoniaOEL TWA (mg/m³)1000 mg/m³EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³	Denmark	Grænseværdi (8 timer) (mg/m³)	1900 mg/m ³	
EstoniaOEL TWA (ppm)500 ppmEstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Denmark	Grænseværdi (8 timer) (ppm)	1000 ppm	
EstoniaOEL STEL (mg/m³)1900 mg/m³EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Estonia	OEL TWA (mg/m³)	1000 mg/m ³	
EstoniaOEL STEL (ppm)1000 ppmFinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Estonia	OEL TWA (ppm)	500 ppm	
FinlandHTP-arvo (8h) (mg/m³)1900 mg/m³FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Estonia	OEL STEL (mg/m ³)	1900 mg/m ³	
FinlandHTP-arvo (8h) (ppm)1000 ppmFinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Estonia	OEL STEL (ppm)	1000 ppm	
FinlandHTP-arvo (15 min)2500 mg/m³FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Finland	HTP-arvo (8h) (mg/m³)	1900 mg/m ³	
FinlandHTP-arvo (15 min) (ppm)1300 ppmHungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Finland	HTP-arvo (8h) (ppm)	1000 ppm	
HungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Finland	HTP-arvo (15 min)		
HungaryAK-érték1900 mg/m³HungaryCK-érték3800 mg/m³	Finland	HTP-arvo (15 min) (ppm)	1300 ppm	
	Hungary		1900 mg/m ³	
Ireland OEL (15 min ref) (ppm) 1000 ppm	Hungary	CK-érték	3800 mg/m ³	
	Ireland	OEL (15 min ref) (ppm)	1000 ppm	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Ethyl alcohol (64-17-5)			
Lithuania	IPRV (mg/m ³)	1000 mg/m ³	
Lithuania	IPRV (ppm)	500 ppm	
Lithuania	TPRV (mg/m³)	1900 mg/m ³	
Lithuania	TPRV (ppm)	1000 ppm	
Norway	Grenseverdier (AN) (mg/m³)	950 mg/m ³	
Norway	Grenseverdier (AN) (ppm)	500 ppm	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	1187,5 mg/m³ (value calculated)	
Norway	Grenseverdier (Korttidsverdi) (ppm)	625 ppm (value calculated)	
Poland	NDS (mg/m ³)	1900 mg/m ³	
Romania	OEL TWA (mg/m³)	1900 mg/m ³	
Romania	OEL TWA (ppm)	1000 ppm	
Romania	OEL STEL (mg/m ³)	9500 mg/m ³	
Romania	OEL STEL (ppm)	5000 ppm	
Slovakia	NPHV (priemerná) (mg/m³)	960 mg/m ³	
Slovakia	NPHV (priemerná) (ppm)	500 ppm	
Slovakia	NPHV (Hraničná) (mg/m³)	1920 mg/m ³	
Slovenia	OEL TWA (mg/m ³)	960 mg/m ³	
Slovenia	OEL TWA (ppm)	500 ppm	
Slovenia	OEL STEL (mg/m ³)	1920 mg/m ³	
Slovenia	OEL STEL (ppm)	1000 ppm	
Sweden	nivågränsvärde (NVG) (mg/m³)	1000 mg/m ³	
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm	
Sweden	kortidsvärde (KTV) (mg/m³)	1900 mg/m ³	
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm	
Portugal	OEL TWA (ppm)	1000 ppm	
Portugal	OEL chemical category (PT) A3 – Confirmed Animal Carcinogen with Unknown Relevance to Humans		
Chloramphenicol (56-75	-7)	·	
Bulgaria	OEL TWA (mg/m ³)	1 mg/m ³	
Latvia	OEL TWA (mg/m ³)	1 mg/m ³	

8.2. **Exposure controls**

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing

Hand protection

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



: Chemically resistant materials and fabrics.

When using, do not eat, drink or smoke.

- Wear protective gloves. :
- Chemical safety goggles. :
- Wear suitable protective clothing. :
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

Eye and Face Protection

Skin and body protection

Respiratory protection

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1. Physical state : Liquid Appearance : No data available Colour • No data available 11/03/2022 EN (English)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



www.ilable_data_the_data;fication_autouta_men_at_act

Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Evaporation rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
0.2 Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified (Based on available data, the classification criteria are not met)		
1,2,3-Propanetriol (56-81-5)			
LD50 oral rat	12600 mg/kg		
LD50 dermal rabbit	> 10 g/kg		
LC50 Inhalation – Rat	> 2,75 mg/l/4h		
Sodium chloride (7647-14-5)			
LD50 oral rat	3550 mg/kg (Species: Wistar)		
LD50 dermal rabbit	>10000 mg/kg (Species: New Zealand White)		
LC50 Inhalation – Rat	> 42 g/m ³ (Exposure time: 1 h)		
Ethyl alcohol (64–17–5)			
LD50 oral rat	10470 mg/kg		
LD50 dermal rat	20 ml/kg		
LC50 Inhalation - Rat (Vapours)	124,7 mg/l/4h		
ATE CLP (dermal)	15.780,00 mg/kg bodyweight		
Chloramphenicol (56-75-7)			
LD50 oral rat	2500 mg/kg		
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)		

--: -: -

1: INCC1002 F



NSC1003 E. coli Ifety Data Sheet cording to Regulation (EC) No. 1907/2006 (REACH	I) with its amendment Regulation (EU) 2015/830	
Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified (Based on available data, the classification criteria are not me Not classified (Based on available data, the classification criteria are not me Not classified (Based on available data, the classification criteria are not me Not classified (Based on available data, the classification criteria are not me 	
Chloramphenicol (56-75-7)	Y	
IARC group	2A	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen, Substances delisted from repor on Carcinogens.	
Reproductive toxicity STOT-single exposure	 Not classified (Based on available data, the classification criteria are not me Not classified (Based on available data, the classification criteria are not me 	
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not me	
Symptoms/Injuries After Inhalation	: Prolonged exposure may cause irritation.	
Symptoms/Injuries After Skin Contact	 Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. 	
Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects.	
Chronic Symptoms	: None expected under normal conditions of use.	
ECTION 12: Ecological information		
2.1. Toxicity		
•	: Not classified.	
1,2,3-Propanetriol (56-81-5)		
LC50 fish 1	54000 (51000 – 57000) mg/l (Exposure time: 96 h – Species: Oncorhynchus mykiss	
	[static])	
Sodium chloride (7647-14-5)		
LC50 fish 1	5560 (5560 – 6080) mg/l (Exposure time: 96 h – Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h – Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 – 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Ethyl alcohol (64-17-5)		
LC50 fish 1	11200 mg/l	
EC50 Daphnia 1	9268 – 14221 mg/l (Exposure time: 48 h – Species: Daphnia magna)	
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
ErC50 (algae)	1000 mg/l	
NOEC chronic crustacea	9,6 mg/l	
2.2. Persistence and degradability	5,6 mg/1	
INSC1003 E. coli		
	Natastablished	
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential		
INSC1003 E. coli		
Bioaccumulative potential	Not established.	
1,2,3-Propanetriol (56-81-5)		
BCF fish 1	(no bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	-1,76	
1000)		
Sodium chloride (7647-14-5)		

Pow) 12.4. Mobility in soil

No additional information available

Partition coefficient n-octanol/water (Log

-0,32

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal: Dispose of contents/container in accordance with local, regional, national, and
international regulations.Ecology - waste materials: Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for tra	nsport			
14.2. UN proper	shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport	nazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gr	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

the following hazard classe to Regulation (EC) No 1272/2	s fulfilling the criteria for any of s or categories set out in Annex I 2008: Hazard classes 2.1 to 2.4, B, 2.9, 2.10, 2.12, 2.13 categories 1 2, 2.15 types A to F	Ethyl alcohol
2, flammable liquids catego category 1 or 2, substances with water, emit flammable pyrophoric liquids category	1 or pyrophoric solids category 1, appear in Part 3 of Annex VI to 08 or not.	Ethyl alcohol

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

1,2,3-Propanetriol (56-81-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl alcohol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Chloramphenicol (56-75-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



15.2.	Chemical safety assessment		
No chemical safety assessment has been carried out			

SECTION 16: Other information	
Date of Preparation or Latest Revision	: 08/02/2021
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Carc. 1B	Carcinogenicity, Category 1B	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
H225	Highly flammable liquid and vapour.	
H318	Causes serious eye damage.	
H350	May cause cancer.	
H361	Suspected of damaging fertility or the unborn child.	

Indication of Changes No additional information available

Abbreviations and Acronyms

Abbreviations and Acronyms	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS – Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh – Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR – European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC – No-Observed Effect Concentration
ATE – Acute Toxicity Estimate	NRD – Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT – Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL – Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008	pH – Potential Hydrogen
COD – Chemical Oxygen Demand	REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous Goods
EC50 - Median Effective Concentration	by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical Substances	SDS – Safety Data Sheet
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STEL – Short Term Exposure Limit
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	STOT – Specific Target Organ Toxicity
EU – European Union	TA-Luft – Technische Anleitung zur Reinhaltung der Luft
ErC50 – EC50 in Terms of Reduction Growth Rate	TEL TRK – Technical Guidance Concentrations
GHS – Globally Harmonized System of Classification and Labeling of	ThOD – Theoretical Oxygen Demand
Chemicals	TLM – Median Tolerance Limit
IARC – International Agency for Research on Cancer	TLV – Threshold Limit Value
IATA – International Air Transport Association	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IBC Code - International Bulk Chemical Code	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IMDG - International Maritime Dangerous Goods	Gefahrstoffen in ortsbeweglichen Behältern
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 552 – Technische Regeln für Gefahrstoffe – N-Nitrosamine
IOELV – Indicative Occupational Exposure Limit Value	TRGS 900 – Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 – Technische Regel für Gefahrstoffe 903 – Biologische Grenzwerte
LD50 - Median Lethal Dose	TSCA – Toxic Substances Control Act
LOAEL - Lowest Observed Adverse Effect Level	TWA – Time Weighted Average
LOEC - Lowest-Observed-Effect Concentration	VOC – Volatile Organic Compounds
Log Koc – Soil Organic Carbon-water Partitioning Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Kow - Octanol/water Partition Coefficient	VLA-ED – Valor Límite Ambiental Exposición Diaria
Log Pow – Ratio of the equilibrium concentration (C) of a dissolved substance	VLE – Valeur Limite D'exposition
in a two-phase system consisting of two largely immiscible solvents, in this case	VME – Valeur Limite De Moyenne Exposition
octanol and water	vPvB - Very Persistent and Very Bioaccumulative
MAK – Maximum Workplace Concentration/Maximum Permissible	WEL – Workplace Exposure Limit
Concentration	WGK - Wassergefährdungsklasse
MARPOL - International Convention for the Prevention of Pollution	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EU GHS SDS

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

