

Box 1002455 Component SDS

REF 1002455 Onyx® Genome Engineering Kit Cell Input Tube – E. coli INSC1003

Consumable ID

Number Consumable Ref Number and Relevant Well

1002189 INSC1003 E. coli

^{*}Note: Consumable wells are numbered such that Well 1 is the well closest to the Chamfer

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Issue: 11/03/2022



Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Mixture
Product Name : INSC1003 E. coli

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : No use is specified.

1.2.2. Uses advised against No additional information available

1.3. Details of the supplier of the safety data sheet

Company

Inscripta, Inc.

5764 Pacific Center Blvd San Diego, CA 92121 619–708–8130

www.inscripta.com info@inscripta.com

1.4. Emergency telephone number

Emergency number : 1-352-323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification According to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------|--|---------|---|
| 1,2,3-Propanetriol | (CAS-No.) 56-81-5 (EC-No.) 200-289-5 | 10 - 20 | Not classified |
| Sodium chloride | (CAS-No.) 7647-14-5 (EC-No.) 231-598-3 | 0,1 - 1 | Not classified |
| Ethyl alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 | < 0,1 | Flam. Liq. 2, H225 |
| Chloramphenicol | (CAS-No.) 56-75-7 (EC-No.) 200-287-4 | <0,01 | Eye Dam. 1, H318 Carc. 1B, H350 Repr. 2, H361 |

Full text of H-statements: see section 16

11/03/2022 EN (English) 1/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain

medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5

minutes. Obtain medical attention if irritation develops or persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Obtain medical attention if irritation develops or

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of

normal use.

Symptoms/effects after inhalation : Prolonged exposure may cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Product is not explosive.

Reactivity : Hazardous reactions will not occur under normal conditions.

Hazardous decomposition products in

case of fire

: Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.
Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapour,

mist, spray).

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

11/03/2022 EN (English) 2/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence

of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Transfer spilled material

to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

skin and clothing. Avoid breathing vapours, mist, spray.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in a dry, cool place. Keep/Store away

from direct sunlight, extremely high or low temperatures and incompatible

materials.

Incompatible materials : Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

No use is specified.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| 1,2,3-Propanetriol (56-81-5) | | | |
|------------------------------|--|--------------------------------|--|
| Belgium Limit value [mg/m³] | | 10 mg/m³ (mist) | |
| Croatia | | | |
| France | VME [mg/m³] | 10 mg/m³ (aerosol) | |
| Germany | Occupational exposure limit value (mg/m³) 200 mg/m³ (the risk of damage to the e fetus can be excluded when AGW and E values are observed-inhalable fraction) | | |
| Greece | OEL TWA (mg/m³) | 10 mg/m³ | |
| Spain | VLA-ED (mg/m³) | 10 mg/m³ (mist) | |
| Switzerland | KZGW (mg/m³) | 100 mg/m³ (inhalable dust) | |
| Switzerland | MAK (mg/m³) | 50 mg/m³ (inhalable dust) | |
| United Kingdom | WEL TWA (mg/m³) | 10 mg/m³ (mist) | |
| United Kingdom | WEL STEL (mg/m³) | 30 mg/m³ (calculated-mist) | |
| Czech Republic | Expoziční limity (PEL) (mg/m³) | 10 mg/m³ | |
| Estonia | OEL TWA (mg/m³) | 10 mg/m ³ | |
| Finland | HTP-arvo (8h) (mg/m³) | 20 mg/m³ | |
| Poland | NDS (mg/m³) | 10 mg/m³ (inhalable fraction) | |
| Slovakia | NPHV (priemerná) (mg/m³) | 11 mg/m³ | |
| Slovenia | OEL TWA (mg/m³) | 200 mg/m³ (inhalable fraction) | |
| Slovenia | OEL STEL (mg/m³) | 400 mg/m³ (inhalable fraction) | |
| Portugal | OEL TWA (mg/m³) | 10 mg/m³ (mist) | |
| Sodium chloride (7647-14-5) | | | |
| Latvia | OEL TWA (mg/m³) | 5 mg/m³ | |
| Lithuania | IPRV (mg/m³) | 5 mg/m³ | |

11/03/2022 EN (English) 3/10

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



| Ethyl alcohol (64-17-5) | 772006 (REACH) WITH ITS amenament Regulation (EU | | |
|---|--|--|--|
| Austria | MAK Daily average value (mg/m³) | 1900 mg/m³ | |
| Austria | MAK Daily average value (ppm) | Daily average value (ppm) 1000 ppm | |
| Austria | MAK Short time value [mg/m³] | 3800 mg/m³ | |
| Austria | MAK Short time value [ppm] | 2000 ppm | |
| Belgium | Limit value [mg/m³] | 1907 mg/m³ | |
| Belgium | Limit value [ppm] | 1000 ppm | |
| Bulgaria | OEL TWA (mg/m³) | 1000 mg/m³ | |
| Croatia | GVI (granična vrijednost izloženosti) (mg/m³) | 1900 mg/m³ | |
| Croatia | GVI (granična vrijednost izloženosti) (ppm) | 1000 ppm | |
| France | VLE [mg/m³] | 9500 mg/m ³ | |
| France | VLE [ppm] | 5000 ppm | |
| France | VME [mg/m³] | 1900 mg/m³ | |
| France | VME [ppm] | 1000 ppm | |
| Germany | Occupational exposure limit value (mg/m³) | 380 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Germany | Occupational exposure limit value (ppm) 200 ppm (the risk of damage to the efetus can be excluded when AGW and values are observed) | | |
| Greece | OEL TWA (mg/m³) | 1900 mg/m³ | |
| Greece | OEL TWA (ppm) | 1000 ppm | |
| USA ACGIH | ACGIH STEL (ppm) | 1000 ppm | |
| Latvia | OEL TWA (mg/m³) | 1000 mg/m³ | |
| Spain | VLA-EC (mg/m³) | 1910 mg/m³ | |
| Spain | VLA-EC (ppm) | 1000 ppm | |
| Switzerland | KZGW (mg/m³) | 1920 mg/m³ | |
| Switzerland | KZGW (ppm) | 1000 ppm | |
| Switzerland | MAK (mg/m³) | 960 mg/m³ | |
| Switzerland | MAK (ppm) | 500 ppm | |
| Netherlands | Grenswaarde TGG 8H (mg/m³) | 260 mg/m³ | |
| Netherlands | Grenswaarde TGG 15MIN (mg/m³) | 1900 mg/m³ | |
| United Kingdom | WEL TWA (mg/m³) | 1920 mg/m³ | |
| United Kingdom | WEL TWA (ppm) | 1000 ppm | |
| United Kingdom | WEL STEL (mg/m³) | 5760 mg/m³ (calculated) | |
| United Kingdom | WEL STEL (OEL STEL) [ppm] | 3000 ppm (calculated) | |
| Czech Republic | Expoziční limity (PEL) (mg/m³) | 1000 mg/m³ | |
| Denmark | Grænseværdi (8 timer) (mg/m³) | 1900 mg/m³ | |
| Denmark | Grænseværdi (8 timer) (ppm) | 1000 ppm | |
| Estonia | OEL TWA (mg/m³) | 1000 mg/m³ | |
| Estonia | OEL TWA (ppm) | 500 ppm | |
| Estonia | OEL STEL (mg/m³) | 1900 mg/m³ | |
| Estonia | OEL STEL (ppm) | 1000 ppm | |
| Finland | HTP-arvo (8h) (mg/m³) | 1900 mg/m³ | |
| Finland | HTP-arvo (8h) (ppm) | 1000 ppm | |
| Finland | HTP-arvo (15 min) | 2500 mg/m³ | |
| Finland | HTP-arvo (15 min) (ppm) | 1300 ppm | |
| Hungary | AK-érték | 1900 mg/m³ | |
| Hungary | CK-érték | 3800 mg/m³ | |
| Ireland OEL (15 min ref) (ppm) 1000 ppm | | - | |

11/03/2022 EN (English) 4/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



| Ethyl alcohol (64–17–5) | | | |
|---------------------------|---------------------------------------|---------------------------------------|--|
| Lithuania | IPRV (mg/m³) | 1000 mg/m³ | |
| Lithuania | IPRV (ppm) 500 ppm | | |
| Lithuania | TPRV (mg/m³) 1900 mg/m³ | | |
| Lithuania | TPRV (ppm) | 1000 ppm | |
| Norway | Grenseverdier (AN) (mg/m³) | 950 mg/m³ | |
| Norway | Grenseverdier (AN) (ppm) | 500 ppm | |
| Norway | Grenseverdier (Korttidsverdi) (mg/m3) | 1187,5 mg/m³ (value calculated) | |
| Norway | Grenseverdier (Korttidsverdi) (ppm) | 625 ppm (value calculated) | |
| Poland | NDS (mg/m³) | 1900 mg/m³ | |
| Romania | OEL TWA (mg/m³) | 1900 mg/m³ | |
| Romania | OEL TWA (ppm) | 1000 ppm | |
| Romania | OEL STEL (mg/m³) | 9500 mg/m ³ | |
| Romania | OEL STEL (ppm) | 5000 ppm | |
| Slovakia | NPHV (priemerná) (mg/m³) | 960 mg/m ³ | |
| Slovakia | NPHV (priemerná) (ppm) | 500 ppm | |
| Slovakia | NPHV (Hraničná) (mg/m³) | 1920 mg/m ³ | |
| Slovenia | OEL TWA (mg/m³) 960 mg/m³ | | |
| Slovenia | OEL TWA (ppm) | 500 ppm | |
| Slovenia | OEL STEL (mg/m³) | 1920 mg/m³ | |
| Slovenia | OEL STEL (ppm) | 1000 ppm | |
| Sweden | nivågränsvärde (NVG) (mg/m³) | 1000 mg/m³ | |
| Sweden | nivågränsvärde (NVG) (ppm) | 500 ppm | |
| Sweden | kortidsvärde (KTV) (mg/m³) | 1900 mg/m³ | |
| Sweden | kortidsvärde (KTV) (ppm) | 1000 ppm | |
| Portugal | OEL TWA (ppm) 1000 ppm | | |
| Portugal | OEL chemical category (PT) | A3 - Confirmed Animal Carcinogen with | |
| | Unknown Relevance to Humans | | |
| Chloramphenicol (56-75-7) | · · | | |
| Bulgaria | OEL TWA (mg/m³) | 1 mg/m³ | |
| Latvia | OEL TWA (mg/m³) 1 mg/m³ | | |
| | | | |

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment : Gloves. Protective clothing. Protective goggles.







Materials for protective clothing

Hand protection

Eye and Face Protection Skin and body protection

Respiratory protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.

: Chemical safety goggles.

: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available
Colour : No data available

11/03/2022 EN (English) 5/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Odour : No data available : No data available Odour threshold рΗ : No data available **Evaporation rate** No data available Melting point No data available Freezing point : No data available **Boiling point** : No data available Flash point : No data available No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C No data available Relative density : No data available Solubility : No data available : No data available Partition coefficient: n-octanol/water : No data available Viscosity **Explosive properties** : No data available : No data available Oxidising properties **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

| 1,2,3-Propanetriol (56-81-5) | | |
|---------------------------------|--|--|
| LD50 oral rat | 12600 mg/kg | |
| LD50 dermal rabbit | > 10 g/kg | |
| LC50 Inhalation - Rat | > 2,75 mg/l/4h | |
| Sodium chloride (7647-14-5) | | |
| LD50 oral rat | 3550 mg/kg (Species: Wistar) | |
| LD50 dermal rabbit | > 10000 mg/kg (Species: New Zealand White) | |
| LC50 Inhalation - Rat | > 42 g/m³ (Exposure time: 1 h) | |
| Ethyl alcohol (64–17–5) | | |
| LD50 oral rat | 10470 mg/kg | |
| LD50 dermal rat | 20 ml/kg | |
| LC50 Inhalation – Rat (Vapours) | 124,7 mg/l/4h | |
| ATE CLP (dermal) | 15.780,00 mg/kg bodyweight | |
| Chloramphenicol (56-75-7) | | |
| LD50 oral rat | 2500 mg/kg | |

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

11/03/2022 EN (English) 6/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



| Chloramphenical (56-75-7) | |
|-----------------------------------|---|
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) |

| Chloramphenicol (56-75-7) | |
|---|---|
| IARC group | 2A |
| National Toxicology Program (NTP) Status | Reasonably anticipated to be Human Carcinogen, Substances delisted from report on Carcinogens. |
| Reproductive toxicity STOT-single exposure | Not classified (Based on available data, the classification criteria are not met)Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met) |
| Symptoms/Injuries After Inhalation | : Prolonged exposure may cause irritation. |
| Symptoms/Injuries After Skin Contact | : Prolonged exposure may cause skin irritation. |
| Symptoms/Injuries After Eye Contact | : May cause slight irritation to eyes. |
| Symptoms/Injuries After Ingestion | : Ingestion may cause adverse effects. |
| Chronic Symptoms | : None expected under normal conditions of use. |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified.

| 1,2,3-Propanetriol (56-81-5) | | |
|------------------------------|---|--|
| LC50 fish 1 | 54000 (51000 – 57000) mg/l (Exposure time: 96 h – Species: Oncorhynchus mykiss [static]) | |
| Sodium chloride (7647-14-5) | | |
| LC50 fish 1 | 5560 (5560 – 6080) mg/l (Exposure time: 96 h – Species: Lepomis macrochirus [flow-through]) | |
| EC50 Daphnia 1 | 1000 mg/l (Exposure time: 48 h – Species: Daphnia magna) | |
| LC50 fish 2 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
| EC50 Daphnia 2 | 340,7 (340,7 – 469,2) mg/l (Exposure time: 48 h – Species: Daphnia magna [Static]) | |
| NOEC chronic fish | 252 mg/l (Species: Pimephales promelas) | |
| Ethyl alcohol (64–17–5) | | |
| LC50 fish 1 | 11200 mg/l | |
| EC50 Daphnia 1 | 9268 – 14221 mg/l (Exposure time: 48 h – Species: Daphnia magna) | |
| LC50 fish 2 | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | |
| ErC50 (algae) | 1000 mg/l | |
| NOEC chronic crustacea | 9,6 mg/l | |

12.2. Persistence and degradability

| <u></u> | ···· / |
|-------------------------------|------------------|
| INSC1003 E. coli | |
| Persistence and dearadability | Not established. |

12.3. Bioaccumulative potential

| INSC1003 E. coli | | |
|--|----------------------|--|
| Bioaccumulative potential | Not established. | |
| 1,2,3-Propanetriol (56-81-5) | | |
| BCF fish 1 | (no bioaccumulation) | |
| Partition coefficient n-octanol/water (Log Pow) | -1,76 | |
| Sodium chloride (7647-14-5) | | |
| BCF fish 1 (no bioaccumulation) | | |
| Ethyl alcohol (64-17-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | -0,32 | |

12.4. Mobility in soil

| No additional in | nformation | available |
|------------------|------------|-----------|
|------------------|------------|-----------|

11/03/2022 EN (English) 7/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with local, regional, national, and

international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------|-----------------------|-------------------|-------------------|-------------------|
| 14.1. UN number | | | • | |
| Not regulated for transp | port | | | |
| 14.2. UN proper sh | ipping name | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport has | zard class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing grou | р | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |
| environment : No | environment : No | environment : No | environment : No | environment : No |
| | Marine pollutant : No | | | |

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| 3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F | Ethyl alcohol |
|--|---------------|
| 40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. | Ethyl alcohol |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

1,2,3-Propanetriol (56-81-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl alcohol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Chloramphenicol (56-75-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

11/03/2022 EN (English) 8/10

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Chemical safety assessment 15.2.

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision

Data sources

: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to

GHS or their subsequent adoption of GHS.

Other information

: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

| Carc. 1B | Carcinogenicity, Category 1B | |
|--------------|--|--|
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Flam. Liq. 2 | Flammable liquids, Category 2 | |
| Repr. 2 | Reproductive toxicity, Category 2 | |
| H225 | Highly flammable liquid and vapour. | |
| H318 | Causes serious eye damage. | |
| H350 | May cause cancer. | |
| H361 | Suspected of damaging fertility or the unborn child. | |

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of

Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD - Chemical Oxygen Demand EC – European Community

EC50 - Median Effective Concentration EEC – European Economic Community

EINECS – European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU - European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of

Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose LOAFL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case

octanol and water

MAK - Maximum Workplace Concentration/Maximum Permissible

Concentration

MARPOL - International Convention for the Prevention of Pollution EU GHS SDS

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit pH - Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods

by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD - Theoretical Oxygen Demand TLM - Median Tolerance Limit

TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von

Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe – N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 - Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/03/2022 EN (English) 9/10

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



11/03/2022 EN (English) 10/10